

带状疱疹後神経痛の漢方薬治療の 有効例と無効例について

東京女子医科大学 麻酔科, 東邦大学医学部大橋病院 麻酔科*

椋棒由紀子, 福内明子, 藤田昌雄, 村山良介*

要旨： 带状疱疹後神経痛は、今なお難治性疼痛の代表である。患者は圧倒的に高齢者が多く、治療にも長時間を要するため、副作用の少ない外用療法や漢方薬治療が理想的である。今回、われわれは12例の带状疱疹後神経痛の患者に種々の漢方薬を投与し、その有効・無効例について検討した。症例は50～70歳代の男性3名、女性9名である。三叉神経領域の患者3名のうち、上眼瞼のつっぱり感に柴苓湯が1名に有効であった。頸神経胸神経領域では、柴苓湯・五苓散が3名に、柴朴湯及び桂枝加朮附湯がそれぞれ1名に有効であった。特に、五苓散・柴苓湯の有効例では、浮腫の存在が考えられた。一方、漢方薬無効例の痛みは、表面のピリピリした、暖めると楽になる痛みで、循環改善を目的とした漢方薬投与で満足すべき効果が得られず、血管拡張薬軟膏が有効なものもあり、この方面の研究・開発が期待される。

索引用語： 带状疱疹後神経痛, 漢方薬

Effects of Kampo medicine for post herpetic neuralgia

Yukiko Mukubo, Akiko Fukuuchi, Masao Fujita and Ryosuke Murayama*

Department of Anesthesiology, Tokyo Women's Medical College

Department of Anesthesiology, Ohashi Hospital, Toho University*

Abstract : The effects of various Kampo medicines for 12 cases of post herpetic neuralgia (PHN) were studied. Pain was decreased in 6 cases after taking Kampo medicines. Sairei-to and Gorei-san were effective on 4 cases of PHN with edematous state. Anti-stagnant Kampo medicines were less effective on the PHN cases with pain relieved by warming. Vasodilator ointment was helpful in these cases. More studies are needed in PHN with this kind of pain.

Key words : post herpetic neuralgia, Kampo medicines