

症 例 報 告

各種腸閉塞疾患に対する大建中湯の効果

坂田好史

岡村光雄 栗本博史

尾野光市 福 昭人

泉大津市立病院外科

要旨：各種腸閉塞疾患に対し、大建中湯を投与し、その有効性について検討した。症例1は79歳の男性で、膵頭部癌のため胆管空腸吻合術後2カ月目の癒着性イレウスである。ツムラ大建中湯をイレウス管から注入し、保存的治療を施行したところ、イレウスは寛解し、排液量、白血球数、腸内細菌数とも正常化した。症例2は64歳の男性、症例3は65歳の男性の、麻痺性イレウスである。ともに、経鼻胃管から大建中湯を投与することで、早期にイレウスは寛解していった。症例4は80歳の男性で、進行直腸癌による癌性腹膜炎のためのサブイレウスである。この症例においても、大建中湯を投与することで、イレウスの改善を得ることができ、quality of lifeの向上に役立った。このように、大建中湯は、癒着性イレウスのみならず、各種腸閉塞疾患に有効であることが示唆された。

(痛みと漢方7:77-80, 1997)

索引用語：大建中湯, イレウス, 麻痺性イレウス, 癌性腹膜炎

The effect of "Daikenchuto" on obstructive bowel disease

Department of Surgery, Izumiotsu City Hospital
Yoshifumi Sakata, et al.

Abstract : We administered "Daikenchuto" (a kampo medicine) to the patients with obstructive bowel disease to examine its effect.

Case 1 is a 79 year-old man suffered from postoperative adhesive ileus due to pancreas head cancer. As "Daikenchuto" was administered to him through an ileus tube for days, he recovered from adhesive ileus. Case 2 (a 64 year-old man) and case 3 (a 65 year-old man) suffered from paralytic ileus. "Daikenchuto" was administered to them through a naso-gastric tube, and they recovered from paralytic ileus. Case 4 (an 80 year-old man) suffered from subileus due to peritonitis carcinomatosa of advanced rectal cancer. "Daikenchuto" was also administered to him. "Daikenchuto" was useful for the improvement of his quality of life.

It was thought that "Daikenchuto" was useful for any obstructive bowel diseases.

(Pain and Kampo Medicine 7 : 77-80, 1997)

Key words : Daikenchuto, ileus, paralytic ileus, peritonitis carcinomatosa