

症例報告

経腰的腎摘出術後の創部疼痛に対する 芍薬甘草湯の使用経験

布施春樹* 三輪聰太郎* 高島 博* 平野章治*

要旨：腎腫瘍や腎結石に対する腎摘除術はいわゆる腰部斜切開によって施行されることが多い、この際、側腹部の外腹斜筋、内腹斜筋および腹横筋を切開するために起ると思われる術後の創部疼痛は、長期間患者さんを悩まし、QOLを損なう原因となり得る。そこで、漢方薬の中でこのような筋性の痛みに使用される芍薬甘草湯 (TJ-64) を投与し、その効果を検討した。10例中8例に効果を認めた。無効例の1例は、他の様々な方法でも疼痛のコントロールが困難な症例であった。服薬コンプライアンスは良好であったが、1例は以前からあった高血圧症が悪化し中止となった。泌尿器科領域においても、創部痛のコントロールに芍薬甘草湯は有用な薬剤と考えられた。

索引用語：経腰的腎摘除術、創部痛、芍薬甘草湯

PAIN AND KAMPO MEDICINE Vol.11 (2001)

Effects of Shakuyaku-kanzo-to on wound pain after subcostal nephrectomy

Haruki Fuse*, Sotaro Miwa*, Hiroshi Takashima* and Shoji Hirano*

Abstract: Operative wound pain is troublesome for a patient who received subcostal nephrectomy. We report 10 cases with wound pain after subcostal nephrectomy. The patients were treated with Shakuyaku-kanzo-to (TJ-68). The wound pain was recognized to be less serious in 8 out of 10 cases according to face scale. We consider that Shakuyaku-kanzo-to is useful for wound pain after subcostal nephrectomy.

Key words: subcostal nephrectomy, wound pain, Shakuyaku-kanzo-to