

症 例 報 告

三叉神経痛に麻黄附子細辛湯が有用であった3症例

矢本真城^{*1} 大中仁彦^{*2} 稲森耕平^{*1} 森 秀磨^{*1}

要旨：三叉神経痛の痛みは激烈である。痛みに対しカルバマゼピンが有効なことが多いが、ふらつき等の副作用の頻度も高い。また大量に服用すると肝機能障害の可能性もある。三叉神経痛に対し葛根湯(TJ-1)や柴胡加竜骨牡蛎湯(TJ-12)を使用した報告もよく見られる。しかし、本疾患の患者の多くは高齢女性であり、実証のことは少ない。また寒冷により痛みが増悪する場合もある。そこで麻黄附子細辛湯(TJ-127)を使用し、良好な結果を得た3症例を報告する。

索引用語：三叉神経痛，麻黄附子細辛湯，漢方治療

PAIN AND KAMPO MEDICINE Vol.12 (2002)

Three patients with trigeminal neuralgia treated with Mao-bushi-saishin-to

Maki Yamoto^{*1}, Masahiko Onaka^{*2},
Kouhei Inamori^{*1} and Hidemaro Mori^{*1}

Abstract: The pain of trigeminal neuralgia is extremely severe. Carbamazepine is effective for relieving this pain, but it also has side effects. We report on 3 patients who suffered from severe trigeminal neuralgia and whose pains were relieved with Mao-bushi-saishin-to.

Key words: Trigeminal neuralgia, Mao-bushi-saishin-to

^{*1} Department of Anesthesiology, Osaka Medical Collage

Offprint requests to: Maki Yamoto, Department of Anesthesiology, Osaka Medical Collage 2-7 Daigaku-cho, Takatsuki, Osaka 569-8686 Japan

^{*2} Department of Anesthesiology, Shyunjyu-kai Shiroyama Hospital